

Fig. 1




Fig. 2




FIG. 3

100

Overall Packet
Processing Flow

101




FIG. 4A




FIG. 4B




FIG. 5




FIG. 6

Consider
RouteTable
Update




FIG. 7





FIG. 8

Table 1. Summary of the data used in the study.	
Study	1998-2000
Location	USA
Sample size	1000
Response rate	85%
Age range	18-75
Gender	50% Male, 50% Female
Ethnicity	White, Black, Hispanic, Asian, Other
Education	High school, College, Graduate
Income	\$10,000-\$100,000
Health status	Good, Fair, Poor
Smoking status	Smoker, Non-smoker
Alcohol consumption	Drinker, Non-drinker
Exercise frequency	Regular, Occasional, None
Stress level	Low, Medium, High
Family size	1-5
Marital status	Married, Single, Divorced, Widowed
Occupation	Professional, Managerial, Service, Unemployed
Health insurance	Medicare, Medicaid, Private, Uninsured
Access to care	Yes, No
Health beliefs	Preventive care, Curative care, Alternative medicine
Health behaviors	Healthy diet, Regular exercise, No tobacco use, No alcohol use
Health outcomes	Mortality, Morbidity, Quality of life, Health status



700





FIG. 10

800


ForwardToStack




805

Yes

No



810



815

FIG. 11




FIG. 12
(PRIOR ART)




FIG. 13




FIG. 14




FIG. 16




FIG. 17




FIG. 19




FIG. 20

FIG. 21




FIG. 22